Chicken Variety Genotypes Sub-Menu

..... Poultry Breeds/Varieties Base Genotypes

URL: http://home.ezweb.com.au/~kazballea/genetics/genotypes_print.html Last updated: 29 May, 2007

* Most of the photos on this website originated from "Feathersite", and "Old English Bantam Club of America" websites, and have been given with permission by the website administrators.

© Copyright of images belongs to cited photography contributors.

Poultry Breeds/Varieties Base Genotypes

* Note, genotypes can vary from line to line. The following are only base genotypes.

* Images used in the following examples are from the Feathersite website.

Photo	Variety	Genotype	Phenotype	Comments
Ancona				
	Black Mottled	E/E Ml/Ml mo/mo w/w p+/p+ r+/r	Black Mottled, yellow skin, single comb	
	Red Mottled (e ⁺ based)	e+ e+ s+/s+ mo/mo w/w p+/p+ r+/r	Black Breasted Red rooster- salmon breasted hens, mottled, yellow skin, single comb	



 $\begin{aligned} & Red \\ & Mottled \\ & (E^R \ based) \end{aligned}$

 $E^R/E^R \ s^+/s^+ \ mo/mo \ w/w \ p^+/p^+ \ r^+/$

Brown Red, mottled, yellow skin, single comb

4	1 1	•
An	dalı	ısian
7 110	uuuu	



Black

 $E/E\ Ml/Ml\ bl^+/bl^+\ Pg/Pg\ Co/Co$ $W^+/W^+\ p^+/p^+\ r^+/r^+$

Solid Black, white skin, black legs, single comb

have id⁺ dermal melanin - Can be E or ER

- may

- may

- may

Blue

E/E Ml/Ml Bl/bl+Pg/Pg Co/Co W $^+/W^+p^+/p^+$ r^+/r^+

Blue Laced Blue, white skin, slate legs, single comb

have id⁺ dermal melanin - Can be E or ER



Splash

E/E Ml/Ml Bl/Bl Pg/Pg Co/Co W $^+$ /W $^+$ p $^+$ /p $^+$ r $^+$ /r $^+$

Pale Splashed Blue, white skin, slate legs, single comb have id⁺ dermal melanin - Can be E or ER

Aseel



Wheaten

 e^{Wh}/e^{Wh} s⁺/s⁺ w/w P/P R/R


Black Breasted Red, wheaten hens, yellow skin, Strawberry (walnut) comb

Black

E/E Ml/Ml w/w P/P R/R

Solid Black, yellow skin, Strawberry (walnut) comb

Australorp



(3 of 3) 29/05/2007